


Visi|line



Aluminium Entrance Doors
Catalogue 2020






Aluminium Entrance Doors

A modern residence door should not only look good and perfectly match the architecture of the house; it should also be optimally equipped for daily needs and outside influence. Aluminium is an ideal material for building robust and durable doors, being extremely resistant to weather conditions, deformation, continuous use and corrosion. Aluminium provides optimum reliability and strong anti-burglary protection, even for large-sized doors.

Standard Hardware of SECURO 1 doors




1 Aluminium profiles with heat barrier and additional insulation



2 Threshold with heat barrier and three sealing points



3 3D cylindrical hinges (adjustable on three axes)



4 Locking point combi style (latch + hook)





5 Polaris double handle



6 Silver-coloured cylinder with five keys

Standard Hardware of SECURO 2 doors



1 Aluminium profiles with heat barrier and additional insulation



2 Threshold with heat barrier and three sealing points



3 3D cylindrical hinges (adjustable on three axes)



4 Parrot beak lock and automatic lock that close in tandem



5 Polaris interior handle



6 Stainless-steel (D650i) exterior handle




7 Stainless-steel oval rosette



8 Silver-coloured cylinder with five keys

5Stars Aluminium Profiles



	PREMIUM	ADVANCED	STANDARD
Assembly depth	70mm / 80mm	70mm / 80mm	70mm / 80mm
Thermal transfer coefficient U_d^*	0,9 W/m ² K	1,0 W/m ² K	1,2 W/m ² K
Panel / Glass thickness	81mm	62mm	28-44mm


* The U_d value is calculated for a 1000mm × 2300mm door with inward opening and panel without glass insertions.

Constructive Options

(for the doors with panel and for the doors with glazing)



Simple door



Door with sidelight




Door with two sidelights



Double-wing door with floating mullion



Simple door with upper-light



Door with sidelight and upper-light




Door with two sidelights and upper-light


Accessories

Exterior Handles - Securo 2


Cylindrical Handles - 45°



Rectangular Handles - 45°



Rectangular handles with incorporated fingerprint scanner



Design Handles - 45°



Curved Handle - 45°



Accessories

Interior Handles - Securo 2



Standard
Securo 2

Polaris S - Silver



Polaris S - Anthracite Grey



Polaris S - Black



Polaris S - White



Hera S - Silver



Hera S - Anthracite Grey



Hera S - Black



Hera S - White



Horus S - Silver



Horus S - Anthracite Grey



Horus S - Black



Horus S - White



Horus SP - Silver



Horus SP - Anthracite Grey



Horus SP - Black



Horus SP - White


Double Handles - Securo 1



Polaris D - Silver



Polaris D - Anthracite Grey



Polaris D - Black



Polaris D - White



Hera D - Silver



Hera D - Anthracite Grey



Hera D - Black



Hera D - White



Horus D - Silver



Horus D - Anthracite Grey



Horus D - Black



Horus D - White



Horus DP - Silver



Horus DP - Anthracite Grey



Horus DP - Black



Horus DP - White

Accessories

Cylinders



Silver-coloured cylinder with five keys
Standard



Silver-coloured cylinder with knob and five keys



Safety cylinder with five keys with anti-copy protection

Electronic Access Systems **Securo 2**

Code-based access keypads



WKB
48 x 94mm



GKB
48 x 94mm



BKB
48 x 94mm

Fingerprint scanners



ARTE AFS BT
25,1 x 52,1mm



INTEGRA IFS BT
45,5 x 91,5mm

Hinges



Silver



Anthracite Grey



Black



White

Standard

Stainless Steel Rosettes - **Securo 2**



Oval rosette



Stainless Steel



Black



Safety oval rosette

Standard Securo 2

House Numbers



1 DIGIT - NJC 11
2 DIGITS - NDC 11
3 DIGITS - NTC 11



Electromagnetic counter-strike (Securo1)



Applied exit button (Optional for the doors with electric counter-strike)

Hardware for doors which have day/night switch

Standard equipment of the motorized lock:

- 2 DUO stainless steel bolts "parrot beak" type;
- 3 stainless steel counter-strikes.

Automatic action: locking the bolts is being done automatically, by simply closing the door. Opening it from the outside can only be done with the key, and from the inside by simply using the handle.

Optional: the door can be provisioned with a day/night switch which can cancel during the day the automatic closing (this case the door being openable from both ways just by pushing/pulling it).

The locking bolts are made of 2 items "parrot beak" type: the big one having safety purpose, and the small one enables the optimal closing of the door.

Benefits:

- Maximum anti-burglary safety;
- Maximum comfort using it;
- Optimal tightness of the door.



DUO stainless steel bolt "parrot beak" type and stainless steel counter-strike



Magnetic automatic closure counter-plate and day/night switch

Colours

All RAL colours are delivered with structural finishing, as standard. RAL colours may optionally be ordered in the matt finishing version at no extra cost. Doors are also available in bicolour versions.


Group 1



RAL 9016 - PE9016TD



RAL 9010 - PE9010TD



RAL 9006 - PE9006TX



RAL 9007 - P9007TX



RAL 7016- PE7016TD



RAL 8017 - P8017T



RAL 6005 - PE6005TD

Group 2



RAL 1013 - PE1013TD



RAL 1015 - P1015T



RAL 3004 - P3004T



RAL 3005 - P3005T



RAL 5001 - P5001T



RAL 5003 - PE5003TD



RAL 5008 - PE5008TD



RAL 5010 - P5010T



RAL 5024 - P5024T



RAL 6009 - P6009T



RAL 6019 - P6019T



RAL 6021 - P6021T



RAL 7001 - P7001T



RAL 7012 - PE7012TD



RAL 7022 - TX7022DE



RAL 7035 - P7035T



RAL 7039 - P7039T



RAL 8014 - PE8014TD



RAL 9001 - P9001T

Group 2 - Decorative finishing (Non-RAL)



Sandblast Black - 2100



Sandblast Grey - 2900



Sandblast Green - 2500




Marte (Mars) - 2525



Punto Grigio



Grigio Antico



DB - 703

Glass

Standard



Satin glass



Masterline



FPK

(perimeter sandblasted elements on float glass)



DPL

(horizontal sandblasted elements on satin glass)

Optional



Madras UADI



Parsol grey



Madras PAVE



Float glass



DPR

(perimeter sandblasted elements on satin glass)



Mastercarre



DPH

(horizontal sandblasted elements on float glass)



DPZ

(horizontal sandblasted elements on satin glass)

The glazing models presented are available only for the doors with panel and for the sidelights of the doors with panel.



Model 1



Model 2



Model 3



Model 4



Model 5

The 5 models are available for glass with horizontal sandblasted elements (DPH, DPL, DPZ). The sandblasted pattern on the glass gets influenced by the panel's model.

Door models with glass

(these doors are not available with the glass patterns presented in the catalogue)



QF - VT - 01




QF - VT - 02



QF - VT - 03




QF - VT - 04



Visi|line



Design Range



QF-AL-19

Colour: RAL 9010
 Handle: D1400i
 Glass: DPH

Sandblasted glass designs
 available: **DPH, DPL**

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-02

Colour: RAL 9006

Handle: D1800i

Applications: Matt stainless steel

Glass: Madras Pavé

Sandblasted glass designs
available: **FPK, DPZ**



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	837x1906mm	1250x2500mm
	outward	837x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1116x1906mm	2050x2500mm
	outward	1170x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1394x1906mm	2850x2500mm
	outward	1448x1933mm	2850x2500mm
2 wings*	inward	1502x2100mm	2500x2500mm
	outward	1502x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 759 mm



QF-AL-27

Colour: RAL 7016

Handle: D1400i

Glass: DPH

Sandblasted glass designs
available: **DPH, DPL**

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	1016x1906mm	2050x2500mm
1 wing 1 sidelight	inward	1070x1933mm	2050x2500mm
	outward	1294x1906mm	2850x2500mm
1 wing 2 sidelights	inward	1348x1933mm	2850x2500mm
	outward	1402x2100mm	2500x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-04

Colour: RAL 6005

Handle: D800i

Applications: Matt stainless steel

Glass: Sandblasted

Sandblasted glass designs
available: **FPK, DPL,**
DPM




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-28

Colour: RAL 5001

Handle: D650i

Glass: DPZ

Sandblasted glass designs
available: **DPH, DPL,**
DPZ

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-06

Colour: RAL 9001

Handle: D1800i

Applications: Matt stainless steel

Glass: Sandblasted

Sandblasted glass designs
available: **FPK, DPL,**
DPH, DPR




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	837x1900mm	1250x2500mm
	outward	837x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1116x1900mm	2050x2500mm
	outward	1170x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1394x1900mm	2850x2500mm
	outward	1448x1925mm	2850x2500mm
2 wings*	inward	1502x2100mm	2500x2500mm
	outward	1502x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 759 mm



QF-AL-07

Colour: RAL 5010

Handle: D800i

Applications: Matt stainless steel

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-08


Colour: 2100 Sandblast Black
 Handle: D800i
 Applications: Matt stainless steel



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	937x1900mm	1250x2500mm
	outward	937x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1216x1900mm	2050x2500mm
	outward	1270x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1494x1900mm	2850x2500mm
	outward	1548x1925mm	2850x2500mm
2 wings*	inward	1602x2100mm	2500x2500mm
	outward	1602x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 859 mm



QF-AL-22

Colour: 2100 Sandblast Black
 Handle: D1400i

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-30

Colour: RAL 9007

Handle: D800i



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:


Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-33

Colour: RAL 1013
 Handle: D800i
 Glass: Sandblasted

Sandblasted glass designs
 available: **FPK, DPH,**
DPL



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-12

Colour: RAL 3005

Handle: D650i

Applications: Matt stainless steel

Glass: Sandblasted



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	837x1900mm	1250x2500mm
	outward	837x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1116x1900mm	2050x2500mm
	outward	1170x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1394x1900mm	2850x2500mm
	outward	1448x1925mm	2850x2500mm
2 wings*	inward	1502x2100mm	2500x2500mm
	outward	1502x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 759 mm

QF-AL-25

Colour: RAL 7035
 Handle: D1800i
 Glass: DPL

Sandblasted glass designs
 available: **FPK, DPH,**
DPL



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-14

Colour: DB 703
 Handle: D800i
 Applications: Matt stainless steel
 Glass: Sandblasted

Sandblasted glass designs
 available: **FPK**



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-15

Colour: RAL 1015

Handle: D650i

Applications: Matt stainless steel

Glass: Sandblasted

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	837x1900mm	1250x2500mm
	outward	837x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1116x1900mm	2050x2500mm
	outward	1170x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1394x1900mm	2850x2500mm
	outward	1448x1925mm	2850x2500mm
2 wings*	inward	1502x2100mm	2500x2500mm
	outward	1502x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 759 mm

QF-AL-16


Colour: RAL 7016

Handle: D1800i

Applications: Matt stainless steel

Glass: Madras Pavé

Sandblasted glass designs
available: **DPK, DPJ**




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	937x1900mm	1250x2500mm
	outward	937x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1216x1900mm	2050x2500mm
	outward	1270x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1494x1900mm	2850x2500mm
	outward	1548x1925mm	2850x2500mm
2 wings*	inward	1602x2100mm	2500x2500mm
	outward	1602x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 859 mm



QF-AL-17

Colour: 2525 Mars

Handle: D1800i

Applications: Matt stainless steel

Glass: Master line

Sandblasted glass designs
available: **DPZ**

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-18

Colour: Grigio Antico

Handle: D1800i

Glass: DPL

Sandblasted glass designs
available: **FPK, DPH, DPL**



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-01

Colour: RAL 7016
 Handle: D1400i
 Applications: Matt stainless steel
 Glass: Sandblasted

Sandblasted glass designs
 available: **DPK, DPL,**
DPH

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	837x1900mm	1250x2500mm
	outward	837x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1116x1900mm	2050x2500mm
	outward	1170x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1394x1900mm	2850x2500mm
	outward	1448x1925mm	2850x2500mm
2 wings*	inward	1502x2100mm	2500x2500mm
	outward	1502x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 759 mm

QF-AL-20

Colour: RAL 9007

Handle: D1800i

Glass: DPZ

Sandblasted glass designs
available: **DPH, DPL, DPZ**



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm


QF-AL-21

Colour: RAL 1013

Handle: D800i

Glass: DPL

Sandblasted glass designs
available: **DPH, DPL**



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

*sash minimum width 659 mm

Remark:


Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

QF-AL-09

Colour: Grigio Antico

Handle: D1800i

Applications: Matt stainless steel




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-23

Colour: RAL 9006

Handle: D1400i

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-24

Colour: Punto Grigio

Handle: D1800i

Glass: DPL

Sandblasted glass designs
available: **FPK, DPH, DPL**




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-13

Colour: RAL 9006

Handle: D1800i

Applications: Matt stainless steel

Glass: Madras UADI

Sandblasted glass designs
available: **FPK**

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:


Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-26

Colour: RAL 3004
 Handle: D800i
 Glass: DPL

Sandblasted glass designs
 available: **DPH, DPL**



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-03

Colour: RAL 9007

Handle: D650i

Applications: Matt stainless steel

Glass: Mastercarré

Sandblasted glass designs
available: **FPK**

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	837x1906mm	1250x2500mm
	outward	837x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1116x1906mm	2050x2500mm
	outward	1170x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1394x1906mm	2850x2500mm
	outward	1448x1933mm	2850x2500mm
2 wings*	inward	1502x2100mm	2500x2500mm
	outward	1502x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 759 mm

QF-AL-05

Colour: RAL 8017

Handle: D1400i

Applications: Matt stainless steel

Glass: Sandblasted

Sandblasted glass designs
available: **FPK, DPL, DPR**




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-29

Colour: RAL 9006

Handle: D1400i

Glass: DPL

Sandblasted glass designs
available: **DPH, DPL**

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

*sash minimum width 659 mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

QF-AL-10

Colour: RAL 9007

Handle: D1800i

Applications: Matt stainless steel




Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



QF-AL-31

Colour: DB 703

Handle: D1800i

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-32

Colour: 2900 Sandblast Grey
Handle: D1800i



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-11

Colour: RAL 9010

Handle: D1400i

Applications: Matt stainless steel

Glass: Parsol Grey



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm

QF-AL-34

Colour: 2500 Sandblast Green
 Handle: D1800i
 Glass: DPR

Sandblasted glass designs
 available: **FPK, DPH,**
DPL, DPR



Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1906mm	1250x2500mm
	outward	737x1906mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1906mm	2050x2500mm
	outward	1070x1933mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1906mm	2850x2500mm
	outward	1348x1933mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
 Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm




Colour: RAL 9016
Handle: D1800i

Type	Opening	Minimum (LxH)	Maximum (LxH)
1 wing	inward	737x1900mm	1250x2500mm
	outward	737x1900mm	1250x2500mm
1 wing 1 sidelight	inward	1016x1900mm	2050x2500mm
	outward	1070x1925mm	2050x2500mm
1 wing 2 sidelights	inward	1294x1900mm	2850x2500mm
	outward	1348x1925mm	2850x2500mm
2 wings*	inward	1402x2100mm	2500x2500mm
	outward	1402x2100mm	2500x2500mm

Remark:
Table dimensions correspond to 20 mm aluminium thresholds constructions. For full frame versions, 31 mm will be added to the minimum construction heights. Maximum heights remain unchanged.

*sash minimum width 659 mm



Colour: Grigio
 Antico
 Handle: D1800i
 Applications: Matt
 stainless steel

QF-AL-09

HP-QF-AL-09

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1150x2100mm	1250x2100mm	2500x2500mm
	outward	1150x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
 sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
 For full frame versions, 31 mm will be added to the minimum construction heights.
 Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: RAL 1013
Handle: D1800i

QF-AL-22

HP-QF-AL-22

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1150x2100mm	1250x2100mm	2500x2500mm
	outward	1150x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
sash maximum width 1208 mm

Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
For full frame versions, 31 mm will be added to the minimum construction heights.
Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: Punto
Grigio
Handle: D1800i

QF-AL-23

HP-QF-AL-23

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1150x2100mm	1250x2100mm	2500x2500mm
	outward	1150x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
For full frame versions, 31 mm will be added to the minimum construction heights.
Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: RAL 9006
 Handle: D1800i
 Glass: DPH

Sandblasted glass designs available:
FPK, DPH, DPL

QF-AL-24

HP-QF-AL-24

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1200x2100mm	1250x2100mm	2500x2500mm
	outward	1200x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
 sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
 For full frame versions, 31 mm will be added to the minimum construction heights.
 Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: RAL 7016
 Handle: D1800i
 Glass: DPL

Sandblasted glass
 designs available:
DPH, DPL

QF-AL-29

HP-QF-AL-29

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1250x2100mm	1250x2100mm	2500x2500mm
	outward	1250x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
 sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
 For full frame versions, 31 mm will be added to the minimum construction heights.
 Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: DB 703
Handle: D1800i

QF-AL-31

HP-QF-AL-31

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1150x2100mm	1250x2100mm	2500x2500mm
	outward	1150x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
For full frame versions, 31 mm will be added to the minimum construction heights.
Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: RAL 9007
Handle: D1800i

QF-AL-32

HP-QF-AL-32

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1150x2100mm	1250x2100mm	2500x2500mm
	outward	1150x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
For full frame versions, 31 mm will be added to the minimum construction heights.
Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



Colour: RAL 9016
Handle: D1800i

QF-AL-00

HP-QF-AL-00

Type	Opening	PREMIUM	ADVANCED	Maximum (LxH) (all versions)
		Minimum (LxH)	Minimum (LxH)	
2 wings*	inward	1150x2100mm	1250x2100mm	2500x2500mm
	outward	1150x2100mm	1250x2100mm	2500x2500mm

* sash minimum width 400 mm inactive leaf
sash maximum width 1208 mm


Remark:

Table dimensions correspond to 20 mm aluminium thresholds constructions.
For full frame versions, 31 mm will be added to the minimum construction heights.
Maximum heights remain unchanged.

HP (half-panel) small-size panels are available with widths of up to 450 mm. For widths exceeding 450 mm, an entire panel will be used on the secondary panel.

Warning! Small-size panels are not available in the **BASIC** version.

Remark: Doors with floating mullion can be made for any panel design, observing the minimum cutting restrictions for the relevant design. For doors with floating mullion, sidelights and upper-lights are produced in separate frames.



QF-AL-19




QF-AL-02



QF-AL-27




QF-AL-04




QF-AL-28



QF-AL-06



QF-AL-07




QF-AL-08



QF-AL-22



QF-AL-30



QF-AL-33



QF-AL-12




QF-AL-25




QF-AL-14



QF-AL-15



QF-AL-16



QF-AL-17




QF-AL-18



QF-AL-01



QF-AL-20



QF-AL-21



QF-AL-09




QF-AL-23



QF-AL-24




QF-AL-13



QF-AL-26



QF-AL-03



QF-AL-05



QF-AL-29




QF-AL-10



QF-AL-31



QF-AL-32




QF-AL-11




QF-AL-34



QF-AL-00



QF-AL-09
HP-QF-AL-09




QF-AL-22
HP-QF-AL-22




QF-AL-23
HP-QF-AL-23




QF-AL-24
HP-QF-AL-24



QF-AL-29
HP-QF-AL-29



QF-AL-31
HP-QF-AL-31



QF-AL-32
HP-QF-AL-32



QF-AL-00
HP-QF-AL-00